

[2017 New Quickly Pass 70-741 Test With Lead2pass New 70-741 Brain Dumps (1-15)]

2017 May Microsoft Official New Released 70-741 Dumps in Lead2pass.com! 100% Free Download! 100% Pass Guaranteed!

The Microsoft 70-741 PDF, 70-741 VCE and 70-741 exam questions and answers at Lead2pass are written and prepared by Microsoft affiliated trainers and lecturers with decades of experience in the IT field. This ensures that you are equipped with the latest and most current information to give you a better chance of passing the Microsoft 70-741 exam. Following questions and answers are all new published by Microsoft Official Exam Center: <http://www.lead2pass.com/70-741.html> QUESTION 1 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this sections, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. Your network contains an Active Directory domain named contoso.com. The domain contains a DHCP server named Server1. All client computers run Windows 10 and are configured as DHCP clients. Your helpdesk received calls today from users who failed to access the network from their Windows 10 computer. You open the DHCP console as shown in the exhibit. (Click the Exhibit button.) You need to ensure that all of the Windows 10 computers can receive a DHCP lease. Solution: You activate the scope. Does this meet the goal? A. Yes B. No Answer: A Explanation: [https://technet.microsoft.com/en-us/library/dd183581\(v=ws.10\).aspx](https://technet.microsoft.com/en-us/library/dd183581(v=ws.10).aspx)

QUESTION 2 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution. Determine whether the solution meets the stated goals. Your network contains an Active Directory domain named contoso.com. The domain contains a DNS server named Server1. All client computers run Windows 10. On Server1, you have the following zone configuration. You have the following subnets defined on Server1. You need to prevent Server1 from resolving queries from DNS clients located on Subnet4. Server1 must resolve queries from all other DNS clients. Solution: From Windows Firewall with Advanced Security on Server1, you create an inbound rule. Does this meet the goal? A. Yes B. No Answer: B Explanation: [https://technet.microsoft.com/en-us/library/dd421709\(v=ws.10\).aspx](https://technet.microsoft.com/en-us/library/dd421709(v=ws.10).aspx)

QUESTION 3 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this sections, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. Your network contains an Active Directory domain named contoso.com. The domain contains a member server named Server1 that runs Windows Server 2016 and has the DNS Server role installed. Automatic scavenging of state records is enabled and the scavenging period is set to 10 days. All client computers dynamically register their names in the contoso.com DNS zone on Server1. You discover that the names of multiple client computers that were removed from the network several weeks ago can still be resolved. You need to configure Server1 to automatically remove the records of the client computers that have been offline for more than 10 days. Solution: You run the dnscmd.exe command and specify the /AgeAllRecords parameter for the zone. Does this meet the goal? A. Yes B. No Answer: B Explanation: [https://technet.microsoft.com/en-us/library/cc772069\(v=ws.11\).aspx](https://technet.microsoft.com/en-us/library/cc772069(v=ws.11).aspx)

QUESTION 4 Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series. Information and details provided in a question apply only to that question. You have a DHCP server named Server1 that has three network cards. Each network card is configured to use a static IP address. Each network card connects to a different network segment. Server1 has an IPv4 scope named Scope1. You need to ensure that Server1 only uses one network card when leasing IP addresses in Scope1. What should you do? A. From the properties of Scope1, modify the Conflict detection attempts setting. B. From the properties of Scope1, configure Name Protection. C. From the properties of IPv4, configure the bindings. D. From IPv4, create a new filter. E. From the properties of Scope1, create an exclusion range. F. From IPv4, run the DHCP Policy Configuration Wizard. G. From Control Panel, modify the properties of Ethernet. H. From Scope1, create a reservation. Answer: C Explanation: [https://technet.microsoft.com/en-us/library/cc770650\(v=ws.11\).aspx](https://technet.microsoft.com/en-us/library/cc770650(v=ws.11).aspx)

QUESTION 5 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this sections, you will NOT be able to return to it. As a result, these questions

will not appear in the review screen. You network contains an Active Directory domain named contoso.com. The domain contains a DHCP server named Server1. All client computers run Windows 10 and are configured as DHCP clients. Your helpdesk received calls today from users who failed to access the network from their Windows 10 computer. You open the DHCP console as shown in the exhibit. (Click the Exhibit button.)

You need to ensure that all of the Windows 10 computers can receive a DHCP lease. Solution: You start the DHCP Server service. Does this meet the goal? A. Yes B. No

Answer: B Explanation: [https://technet.microsoft.com/en-us/library/dd183581\(v=ws.10\).aspx](https://technet.microsoft.com/en-us/library/dd183581(v=ws.10).aspx)

QUESTION 6 Your network contains an Active Directory forest named contoso.com. The forest contains two domains named contoso.com and litwareinc.com. Your company recently deployed DirectAccess for the members of a group named DA_Computers. All client computers are members of DA_Computers. You discover that DirectAccess clients can access the resources located in the contoso.com domain only. The clients can access the resources in the litwareinc.com domain by using an L2TP VPN connection to the network. You need to ensure that the DirectAccess clients can access the resources in the litwareinc.com domain. What should you do? A. From a Group Policy object (GPO), modify the Name Resolution Policy Table (NRPT). B. From the properties of the servers in litwareinc.com, configure the delegation settings. C. On an external DNS server, create a zone delegation for litwareinc.com. D. Add the servers in litwareinc.com to the RAS and IAS Servers group. Answer: A

Explanation: <https://blogs.technet.microsoft.com/tomshinder/2010/04/01/directaccess-client-location-awareness-nrpt-name-resolution/>

QUESTION 7 Your company has two main offices. The offices are located in London and Seattle. All servers run Windows Server 2016. In the Seattle office, you have a Distributed File System (DFS) server named FS1. FS1 has a folder named Folder1 that contains large Windows image files. In the London office, you deploy a DFS server named FS2, and you then replicate Folder1 to FS2. After several days, you discover that the replication of certain files failed to complete. You need to ensure that all of the files in Folder1 can replicate to FS2. What should you do? A. Modify the disk quota of the drive that contains Folder1. B. From a command prompt, run dfsutil /purgemupcache. C. Create a quota for Folder1 by using File Server Resource Manager (FSRM). D. Modify the size of staging area of Folder1. Answer: C

Explanation: [https://technet.microsoft.com/en-us/library/hh831487\(v=ws.11\).aspx](https://technet.microsoft.com/en-us/library/hh831487(v=ws.11).aspx)

QUESTION 8 Your network contains multiple wireless access points (WAPs) that use WPA2-Personal authentication. The network contains an enterprise root certification authority (CA). The security administrator at your company plans to implement WPA2-Enterprise authentication on the WAPs. To support the authentication change, you deploy a server that has Network Policy Server (NPS) installed. You need to configure NPS to authenticate the wireless clients. What should you do on the NPS server? A. Add RADIUS clients and configure network policies. B. Create a remote RADIUS server group and configure connection request policies. C. Create a remote RADIUS server group and install a server certificate. D. Add RADIUS clients and configure connection request policies. Answer: A

Explanation: <https://ittrainingday.com/2013/12/25/how-to-configure-a-windows-radius-server-for-802-1x-wireless-or-wired-connections/>

QUESTION 9 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this sections, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You network contains an Active Directory domain named contoso.com. The domain contains a DHCP server named Server2 than runs Windows Server 2016. Users report that their client computers fail to obtain an IP address. You open the DHCP console as shown in the Exhibit. (Click the Exhibit button.)

Scope1 has an address range of 172.16.0.10 to 172.16.0.100 and a prefix length of 23 bits. You need to ensure that all of the client computers on the network can obtain an IP address from Server2. Solution: You run the Set-DhcpServerv4Scope cmdlet. Does this meet the goal? A. Yes B. No

Answer: A Explanation: <https://technet.microsoft.com/itpro/powershell/windows/dhcp-server/set-dhcpserverv4scope>

QUESTION 10 Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this sections, you will NOT be able to return to it. As a result, these questions will not appear in the review screen. You network contains an Active Directory domain named contoso.com. The domain contains a member server named Server1 that runs Windows Server 2016 and has the DNS Server role installed. Automatic scavenging of state records is enabled and the scavenging period is set to 10 days. All client computers dynamically register their names in the contoso.com DNS zone on Server1. You discover that the names of multiple client computers that were removed from the

network several weeks ago can still be resolved. You need to configure Server1 to automatically remove the records of the client computers that have been offline for more than 10 days. Solution: You modify the Zone Aging/Scavenging properties of the zone.

Does this meet the goal? A. Yes B. No Answer: A Explanation:

[https://technet.microsoft.com/en-us/library/cc771362\(v=ws.10\).aspx](https://technet.microsoft.com/en-us/library/cc771362(v=ws.10).aspx)

QUESTION 11 Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is exactly the same in each question in this series. Your network contains an Active Directory domain named contoso.com. The functional level of the domain is Windows Server 2012. The network uses an address space of 192.168.0.0/16 and contains multiple subnets. The network is not connected to the Internet. The domain contains three servers configured as shown in the following table. Client computers obtain TCP/IP settings from Server3. You add a second network adapter to Server2. You connect the new network adapter to the Internet. You install the Routing role service on Server2. Server1 has four DNS zones configured as shown in the following table. You need to create a zone to ensure that Server1 can resolve single-label names. What should you name the zone on Server1?

A. . (root) B. WINS C. NetBIOS

D. GlobalNames Answer: D Explanation:

[https://technet.microsoft.com/en-us/library/cc816610\(v=ws.10\).aspx](https://technet.microsoft.com/en-us/library/cc816610(v=ws.10).aspx)

QUESTION 12 You company has a main office in London. The company has 1,000 users who are located in many countries. You plan to deploy a large remote access solution for the company. The London office has three servers named Server1, Server2, and Server3 that run Windows Server 2016. You plan to use Server1 as a VPN server, Server2 as a RADIUS proxy, and Server3 as a RADIUS server. You need to configure Server2 to support the planned deployment. Which three actions should you perform on Server2? Each correct answer presents part of the solution. A. Create a connection request policy. B. Deploy a Windows container. C. Add a RADIUS client. D. Create a network policy.

E. Create a remote RADIUS server group. Answer: ACE Explanation:

<https://ittrainingday.com/2014/01/03/how-to-configure-radius-proxy-servers/>

QUESTION 13 You have servers named Server1 and DHCP1. Both servers run Windows Server 2016. DHCP1 contains an IPv4 scope named Scope1. You have 1,000 client computers. You need to configure Server1 to lease IP addresses for Scope1. The solution must ensure that Server1 is used to respond to up to 30 percent of the DHCP client requests only. You install the DHCP Server server role on Server1. What should you do next? A. From the DHCP console, run the Configure Failover wizard. B. From Server Manager, install the Network Load Balancing feature. C. From Server Manager, install the Failover Clustering feature. D. From the DHCP console, create a superscope. Answer: A Explanation:

[https://technet.microsoft.com/en-us/library/hh831385\(v=ws.11\).aspx](https://technet.microsoft.com/en-us/library/hh831385(v=ws.11).aspx)

QUESTION 14 You have a server named Host1 that runs Windows Server 2016. You configure Host1 as a virtualization host and create 20 new virtual machines on Host1. You need to ensure that all of the virtual machines can connect to the Internet through Host1. Which three actions should you perform? Each correct answer presents part of the solution. A. On a virtual machine, install the Remote Access server role. B. From the properties of each virtual machine, enable virtual LAN identification. C. From the properties of each virtual machine, connect to the virtual machine switch.

D. On Host1, configure the network address translation (NAT) network. E. On Host1, create an internal virtual machine switch and specify an IP address for the switch. Answer: CDE Explanation:

[https://technet.microsoft.com/en-us/library/ee449441\(v=ws.10\).aspx](https://technet.microsoft.com/en-us/library/ee449441(v=ws.10).aspx)

QUESTION 15 You have an Active Directory domain that contains several Hyper-V hosts that run Windows Server 2016. You plan to deploy network virtualization and to centrally manage Datacenter Firewall policies. Which component must you install for the planned deployment? A. the Data Center Bridging feature B. the Network Controller server role C. the Routing role service D. the Canary Network Diagnostics feature Answer: B Explanation:

[https://technet.microsoft.com/en-us/library/mt403307\(v=ws.11\).aspx#bkmk_slb](https://technet.microsoft.com/en-us/library/mt403307(v=ws.11).aspx#bkmk_slb)

Lead2pass guarantees your 70-741 exam success with our exam resources. Our 70-741 braindumps are the latest and developed by experienced IT certification professionals working in today's prospering companies and data centers. All our 70-741 braindumps include 70-741 real exam questions which guarantee your 100% success of 70-741 exam in your first try. 70-741 new questions on Google Drive:

<https://drive.google.com/open?id=0B3Syig5i8gpDOUxvX1RiWWt1b0E>

2017 Microsoft 70-741 exam dumps (All 63 Q&As) from Lead2pass: <http://www.lead2pass.com/70-741.html> [100% Exam Pass Guaranteed]